



VALTORC

INTERNATIONAL



BALL VALVES, BUTTERFLY VALVES, V-PORT BALL VALVES, KNIFE GATE VALVES
FUSIBLE LINK PACKAGES, ACTUATORS & VALVE AUTOMATION



SOLENOID VALVES, CONTROL VALVES, SANITARY VALVES, PVC VALVES
AMERICAN MADE SINCE 1980

WWW.VALTORC.COM | AJBENTAL@VALTORC.COM | 1-866-VALTORC | FAX: 770-499-7483



1500 PSI BALL VALVES
2PC HIGH PERFORMANCE
 CONNECTION TYPE:
 THREADED END
 SIZES: 1/2" - 3"
 MATERIAL:
 STAINLESS STEEL
 BLOW OUT DESIGN



SERIES 50 BALL VALVES
HIGH PERFORMANCE
 CONNECTION TYPE:
 COMPRESSION END
 SIZES: 1/4" - 1"
 MATERIAL:
 STAINLESS STEEL
 3 PC, 8 BOLT DESIGN



SERIES 100 BALL VALVES
THREADED END VALVE
 CONNECTION TYPE:
 THREADED END
 SIZES: 1/4" - 4"
 MATERIAL:
 STAINLESS STEEL
 BLOW OUT DESIGN



SERIES 130 BALL VALVES
HIGH PERFORMANCE
 CONNECTION TYPE:
 THREADED END, SOCKET
 WELD, BUTT WELD
 SIZES: 1/2" - 4"
 MATERIAL:
 SS, PTFE, TEFLON



SERIES 140 BALL VALVES
DIRECT MOUNT DESIGN
 CONNECTION TYPE:
 THREADED, SOCKET,
 BUTT WELD ENDS
 SIZES: 1/2" - 3"
 MATERIAL:
 SS, PTFE, TEFLON



SERIES 150 BALL VALVES
SANITARY STYLE VALVE
 CONNECTION TYPE:
 T-CLAMP END
 SIZES: 1/2" - 4"
 MATERIAL:
 SS, CAVITY FILLERS
 TEFLON IS OPTIONAL



SERIES 200 BALL VALVES
3WAY HIGH PERFORMANCE
 CONNECTION TYPE:
 THREADED, SOCKET AND
 BUTT WELD ENDS
 SIZES: 1/4" - 2"
 MATERIAL:
 STAINLESS STEEL, TEFLON



SERIES 230 BALL VALVES
3WAY BRASS BALL VALVE
 DIRECT MOUNT DESIGN
 FULL & STANDARD PORT
 SIZES: 1/2" - 2"
 MATERIAL:
 BRASS, OPTIONAL
 BODY O-RINGS



SERIES 270 BALL VALVES
INDUSTRIAL VALVE SERIES
 CONNECTION TYPE:
 NPT & SOCKET WELD
 SIZES: 1/4" - 2"
 MATERIAL:
 STAINLESS STEEL, TEFLON
 3PC WITH MOUNTING PAD



SERIES 310 3PC VALVE
TRUNNION MOUNTED
 CONNECTION TYPE:
 TRUNNION END
 SIZES: 8" - 24"
 MATERIAL:
 STAINLESS STEEL, PVC
 PLASTIC AND MORE



SERIES 370 BALL VALVES
METAL SEATED VALVE
 CONNECTION TYPE:
 THREADED, FLANGED
 SIZES: 1/2" - 6"
 MATERIAL:
 STAINLESS STEEL
 POLYMERIC SEAT SEALS



SERIES 410 BALL VALVES
2PC FULL PORT VALVES
 CONNECTION TYPE:
 FLANGED END
 SIZES: 1/4" - 6"
 MATERIAL:
 STAINLESS STEEL
 FIRE SAFE APPROVAL

TO VIEW A FULL LIST OF OUR BALL VALVES PLEASE VISIT US ONLINE AT WWW.VALTORC.COM



SERIES 1000 BUTTERFLY VALVES
RESILIENT SEATED, TWO FLANGED
 HIGH PERFORMANCE
 MADE FOR VALTORC ACTUATORS
 SIZES: 2"-24", 26" - 40"
 MATERIAL: CAST IRON



SERIES 1100 BUTTERFLY VALVES
INDUSTRIAL SPLIT BODY
 ONE-PIECE DISC/STEM DESIGN
 BI-DIRECTIONAL "U" CUP STEM SEAL
 SIZES: 2"-24"
 MATERIAL: SS, CAST IRON, BUNA
 PTFE, NYLON 12, EPDM



SERIES 1200 BUTTERFLY VALVES
DOUBLE ECCENTRIC DESIGN
 HIGH PERFORMANCE
 DIRECT MOUNT FOR ACTUATORS
 SIZES: 2"-24"
 MATERIAL: STAINLESS STEEL OR
 CAST IRON, OPTIONAL SEATS



SERIES 1300 BUTTERFLY VALVES
HIGH FLOW RESILIENT SEATED
 LUG & WAFER STYLES AVAILABLE
 HEAVY DUTY ONE-PIECE BODY
 SIZES: 2"-24"
 MATERIAL: CAST IRON



SERIES 1400 BUTTERFLY VALVES
STAINLESS STEEL Q-PIN RETAINER
 LUG & WAFER STYLES AVAILABLE
 DOUBLE O-RING SEAL DESIGN
 SIZES: 2"-24"
 MATERIAL: STAINLESS STEEL



SERIES 2000 BUTTERFLY VALVES
DOUBLE OFFSET DESIGN
 BI-DIRECTIONAL
 BUBBLE-TIGHT SHUTOFF
 SIZES: 3"-24"
 MATERIAL: STAINLESS STEEL,
 CARBON STEEL



SERIES 3000 BUTTERFLY VALVES
TRIPLE OFFSET METAL SEATED
 ZERO LEAKAGE AND TIGHT SHUT-OFF
 TRIPLE ECCENTRIC DESIGN
 SIZES: 3"-24"
 MATERIAL: STAINLESS STEEL,
 CARBON STEEL



SERIES PVC-300 BUTTERFLY VALVES
PVC ECONOMIC WAFER STYLE
 HIGH PERFORMANCE
 MADE FOR VALTORC ACTUATORS
 SIZES: 2 1/2" - 6", 2 1/2" - 12"
 MATERIAL: PVC, EPDM, BUNA-N SEATS



MOUNTING KITS & HARDWARE
AVAILABLE FOR ALL PARTS/SIZES
 STOCK ISO BRACKETS
 CNC PROCESSED
 NAMUR BRACKETS
 MADE WITH STAINLESS STEEL

INTRODUCING THE NEW... VALTORC V-PORT BALL VALVES



SERIES VP-60 V-PORT BALL VALVES

- * VALTORC "VP-60" SERIES V-PORT BALL VALVES ARE IDEAL FOR ACHIEVING MORE PRECISE CONTROL WITH THE SIMPLICITY AND SEALING FEATURES OF A BALL VALVE.
- * WE OFFER V-PORT BALL VALVES 1/2" - 4" IN A 3-PIECE DESIGN AND 1/2"- 6" FLANGED.
- * THE STANDARD "V" NOTCH OPTIONS ARE 30°, 60° & 90°.



SERIES VP-700 PVC V-PORT BALL VALVES

- * 1/2" - 12" INDUSTRIAL PVC V-PORT BALL VALVES SIZES AVAILABLE
- * THE STANDARD "V" NOTCH OPTIONS ARE 30°, 60° & 90°
- * V-PORT BALL VALVES OFFER BETTER AND MORE CONSISTENT FLOW
- * THIS ALLOWS FOR MUCH BETTER FLOW CHARACTERISTICS AND ELIMINATES THE NEED TO REPLACE SEATS



SERIES VP-800 3-WAY V-PORT

- * 1/2" - 4" INDUSTRIAL DIRECT MOUNT MULTI-PORT V-PORT BALL VALVES SIZES AVAILABLE
- * ISO 5211 DIRECT MOUNT PAD. ALLOWS DIRECT MOUNTING OF PNEUMATIC AND ELECTRIC ACTUATORS
- * FULL PORT, MULTI PORT DESIGN, L&T PORT FLOW DESIGN



SERIES VP-900 V-PORT BALL VALVES

- * HIGH RANGEABILITY - 300:1 TURN DOWN RATIO V-PORT BALL VALVE
- * EQUAL PERCENTAGE FLOW CHARACTERISTIC
- * LOW PRESSURE RECOVERY RATE - MINIMIZES CAVITATION AND EXCESSIVE NOISE
- * MULTI-BODY RATING ANSI 150/300
- * ASME B16.10 FACE TO FACE DIMENSIONS



INDUSTRIAL CONTROL VALVES
SINGLE SEATED BRONZE BODY
 HIGH PERFORMANCE
 MADE FOR VALTORC ACTUATORS
 SIZES: 1/2" - 2"
 FIELD REVERSIBLE ACTUATORS



FUSIBLE LINK PACKAGES
AUTOMATIC CLOSURE IN CASE OF FIRE
 AVAILABLE IN ANSI FLANGES
 API 607 FIRE SAFE VALVE
 SIZES: 1/2" - 4"
 HEAVY-DUTY SOLDERED FUSIBLE LINKS



GATE/CHECK/GLOBE VALVES
FLANGED, THREADED OR SOCKET
 HIGH PERFORMANCE
 Y STRAINERS ARE OPTIONAL
 AVAILABLE IN VARIOUS SIZES
 AND IN VARIOUS MATERIALS



KNIFE GATE VALVES
CYLINDER KNIFE GATE VALVES
 TWO-WAY, ZERO LEAKAGE
 ROBUST FULL FACE FLANGE
 SIZES: 2"-24"
 MATERIAL: STAINLESS STEEL



PLUG VALVES
SUPERIOR LONG-LASTING SHUT-OFF
 BI-DIRECTIONAL LINEAR FLOW
 SUPERIOR LONG-LASTING SHUT-OFF
 SIZES: 2"-4"
 AVAILABLE IN VARIOUS MATERIALS



HEAVY DUTY PVC VALVES
MADE FROM HIGH QUALITY PVC
 BALL VALVES, BUTTERFLY VALVES
 AND V-PORT BALL VALVES
 SIZES: 1"-12"
 ECONOMIC VALVE CHOICE



SAFETY RELIEF VALVES
STAINLESS STEEL TRIM
 SPRINGS ARE STEEL
 SIZES: 1"-6"
 MATERIAL: STAINLESS STEEL
 AND BRONZE



SANITARY VALVES
BALL VALVE, PLUG VALVE, 3-WAY
 AIR AND ELECTRIC ACTUATORS
 ARE ALSO AVAILABLE
 SIZES: 1/2" - 6"
 MATERIAL: STAINLESS STEEL



SOLENOID VALVES
AVAILABLE FOR ALL PARTS/SIZES
 PILOT OPERATED
 SIZE: 1/4" - 2"
 MATERIAL: STAINLESS STEEL
 AND BRASS AVAILABLE

TO VIEW A FULL LIST OF OUR VALVE INVENTORY PLEASE VISIT US ONLINE AT WWW.VALTORC.COM



SERIES EL-600
ELECTRIC ACTUATOR
 OPEN/CLOSE CONTROL
 EFFICIENT, LOW POWER,
 CONSISTENT PERFORMANCE
 DC MOTORS ARE AVAILABLE
 MOST COST-EFFECTIVE
 NO MAINTENANCE REQUIRED



SERIES EL700/710/720/730
ELECTRIC ACTUATOR
 ELECTRIC MOTOR: 120VAC
 RANGE: -31°F TO +150°F
 OVERLOAD PROTECTION
 MANUAL HANDLE OVERRIDE
 CE, NEMA 4X



SERIES EL-900 ACTUATOR
SPRING RETURN ELECTRIC ACTUATOR (DAMPER STYLE)
 REMOVABLE COUPLE
 INTEGRAL AUXILIARY SWITCH
 REVERSIBLE MOUNTING
 SIMPLIFY FIELD WIRING
 ELECTRONIC STALL DETECTION



SERIES QUARTER TURN
ELECTRIC ACTUATOR
 WATER/EXPLOSION PROOF
 HAND WHEEL AVAILABLE
 20 OR 5 WATT SPACE
 HEATER INCLUDED
 ALLOWS +/- 5 DEGREES
 ADJUSTMENT



SERIES UPS9
UNINTERRUPTIBLE BATTERY BACKUP SYSTEMS
 120VAC OPERATION. ALSO:
 230VAC, 12VDC, 24VDC
 24VAC UNITS ARE AVAILABLE
 EXPLOSION-PROOF DESIGN
 EASY WIRING



SERIES 9AAG
SOLENOID VALVES
 NAMUR MOUNT/NEMA4
 100% DUTY CYCLE
 110V, 220V OR 12 & 24 VDC
 OR 24VAC
 2.5W POWER CONSUMPTION
 DUAL COIL DESIGN



SERIES LSN-4
VALTORC LIMIT SWITCH
 POLYCARBONATE DOME
 (2) 1/2 " CONDUIT ENTRIES
 WEATHER PROOF ACTUATOR
 ALUMINUM BODY MATERIAL
 PROTECTION AGAINST SHORT
 CIRCUIT



SERIES LSN-7
VALTORC LIMIT SWITCH
 HOUSINGS HAVE CAPTIVE
 COVER BOLTS
 SOLENOID TERMINATION
 INSIDE THE SWITCH BOX
 SHATTER-PROOF DESIGN
 SPECIAL PRINTED BOARD



PNEUMATIC ACTUATORS
DOUBLE ACTING & SPRING RETURN
 TOP QUALITY BEARINGS
 HARD ANODIZED EXTRUDED
 ALUMINUM BODY
 METAL SPRING GUIDES
 LOW FRICTION/HIGH LIFE



SERIES SSPA-10 ACTUATOR
STAINLESS STEEL PNEUMATIC ACTUATOR
 HEAVY-DUTY PINION
 SPRING CARTRIDGES
 ALL SS HOUSING
 DIRECT MOUNTING OF
 MOST ISO PAD VALVES



SERIES VP700 & VP900
VALTORC POSITIONERS
 AVAILABILITY:
 ROTARY OR LINEAR
 SPLIT RANGE AVAILABLE
 VIBRATION RESISTANT
 STAINLESS STEEL GAUGES
 CERTIFIED FOR ATEX



VALTORC SERIES DGO
DECLUTCHABLE GEARBOX OPERATOR
 DESIGNED FOR VALTORC
 VALVES & ACTUATORS
 SMALL & LIGHT WEIGHT
 TWO KEY WAYS
 WIDE RANGE OF SIZES



FULL PORT STAINLESS BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 DIRECT MOUNT FOR LOW-PROFILE
 STEM PACKING FOR HIGH CYCLE
 SIZES: 1/4" - 3"
 MATERIAL: STAINLESS STEEL



3-PIECE STAINLESS STEEL BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 NPT, SOCKET WELD OR BUTT WELD END
 COST-EFFICIENT OPERATIONS
 SIZES: 1/4" - 4"
 MATERIAL: STAINLESS STEEL



SANITARY TRI-CLAMP BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 CLAMP ENDS AND CAVITY FILLERS
 ISO MOUNTING PAD
 SIZES: 1/2" - 4"
 MATERIAL: STAINLESS STEEL



STAINLESS STEEL FLANGED BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 ISO MOUNTING PAD
 ADJUSTABLE BELLEVILLE WASHERS
 SIZES: 1/2" - 4"



FULL PORT BRASS BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 DIRECT MOUNT FOR LOW PROFILE
 600 WOG/15 PSI LOW PRESSURE STEAM
 SIZES: 1/4" - 3"



3-WAY BRASS BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 L-PORT AND T-PORT
 INDUSTRIAL 4-SEAT DESIGN
 SIZES: 1/4" - 4"



PVC/CPVC AUTOMATED BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 TRUE UNION OR FLANGED ENDS
 NSF LISTED FOR POTABLE WATER
 SIZES: 1/2" - 6"



3-WAY PVC AUTOMATED BALL VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 L-PORT OR T-PORT CONFIGURATIONS
 TRUE UNION THREADED/SOCKET ENDS
 SIZES: 1/2" - 2"



AUTOMATED BUTTERFLY VALVES
PNEUMATIC OR ELECTRIC
ACTUATORS ARE AVAILABLE
 STAINLESS STEEL STEM
 AVAILABLE IN WAFER OR LUG
 SIZES: 2" - 12"

TO VIEW A FULL LIST OF OUR AUTOMATED PACKAGES PLEASE VISIT US ONLINE AT WWW.VALTORC.COM

VALTORC® ALSO SUPPLIES:

- FULL PORT BRASS BALL VALVES
- 3-WAY BRASS BALL VALVES
- FULL PORT STAINLESS BALL VALVES
- 3-PC STAINLESS STEEL BALL VALVES
- SS SANITARY TRI-CLAMP BALL VALVES
- STAINLESS STEEL FLANGED VALVES
- PVC/CPVC BALL VALVES
- 3-WAY PVC BALL VALVES
- BUTTERFLY VALVES, WAFER & LUG STYLE
- TRIPLE OFFSET BUTTERFLY VALVES
- PNEUMATIC ACTUATORS
- ELECTRIC ACTUATORS
- LIMIT SWITCHES
- VALVE POSITIONERS
- GEAR OVERRIDES
- LOCKOUTS
- PILOT VALVES
- MOUNTING KITS
- I/P TRANSDUCERS
- POULTRY SCALDER PANEL
- SOLENOID VALVES
- INDUSTRIAL VALVES
- BALL VALVES
- BUTTERFLY VALVES
- KNIFE GATE VALVES
- PLUG VALVES
- SANITARY VALVES
- SAFETY RELIEF
- PVC VALVES
- V-PORT BALL VALVES

WHY CHOOSE VALTORC® INTERNATIONAL?

- Worldwide Delivery
- The Best Prices in the USA
- Same Day Shipping
- \$10 Million in Inventory Ready To Ship
- Attention to Customer Needs
- Order Online 24/7
- Over 80 Years Experience
- Quality Products



Valtorc® International is a major supplier in the industrial control and actuated valves market worldwide supplying ARRA compliant valves and many more American made products since 1980. We have a broad USA made product line of standard control devices to meet even the most demanding customer requirements. Contact us today to learn more!



VALTORC

INTERNATIONAL

P.O. BOX 1928
KENNESAW, GA 30156

3105 CARTER CIRCLE
KENNESAW, GA 30144

CONTACT US TODAY!

Toll Free: **1-866-VALTORC**
Local: **770-423-7100**
Fax: **770-499-7483**

ORDER ONLINE @
WWW.VALTORC.COM
AJBENTAL@VALTORC.COM